


SHOWER TRAY, SHOWER TRAYS (QUARYL), SHOWER TRAYS, RECTANGULAR SHOWER TRAYS, FLUSH-FITTING SHOWER TRAYS, ACCESSIBLE SOLUTIONS, ACCESSIBLE SHOWER TRAYS SQUARO INFINITY

PRODUCT INFORMATION

1 . POSITION



Model	UDQ1410SQI2IV
Width	1000 mm
Height	40 mm
Depth	15 mm
Length	1400 mm
Weight	40 kg
Description	<p>Installation: flush-fitting / in a niche Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), Surface-mounted models can be fitted in a niche or flush-fit with the floor., Quarry! shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page. These shower trays are cut along the short side. Outlet cover in matching matt colour with chrome-plated strip., The extra charge for cutting already in the total price! Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure. Diameter: 90 mm</p>
Material	Quaryl®

Specification texts

Squaro Infinity; Shower tray; Size: 1400 x 1000 x 40 mm; Quaryl®; Installation: flush-fitting / in a niche; Outlet cover in matching matt colour with chrome-plated strip., **The extra charge for cutting already in the total price!**; Not included in scope of delivery.: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information.: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Surface-mounted models can be fitted in a niche or flush-fit with the floor., Quaryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page.**; These shower trays are cut along the short side.

COLOURS

Grey	UDQ1410SQI2IV-3S	4051202458461
Brown	UDQ1410SQI2IV-4S	4051202459673
Stone White	UDQ1410SQI2IV-RW	4051202851835
Anthracite	UDQ1410SQI2IV-1S	4051202456047
Crème	UDQ1410SQI2IV-2S	4051202457259

UDQ1410SQI2IV

SQUARO INFINITY
UDQ1410SQI2I

Villeroy & Boch
 • This drawing is for information only.
 • Dimensions on the actual production
 product may differ from the dimensions on
 product or drawing will not be accepted.

