

# SHOWER TRAY, SHOWER TRAYS (QUARYL), SHOWER TRAYS, RECTANGULAR SHOWER TRAYS, FLUSH-FITTING SHOWER TRAYS, ACCESSIBLE SOLUTIONS, ACCESSIBLE SHOWER TRAYS SQUARO INFINITY

## PRODUCT INFORMATION

### 1 . POSITION



Model	UDQ1570SQI2LV
Width	700 mm
Height	40 mm
Depth	15 mm
Length	1500 mm
Weight	32 kg
Description	<p>corner installation, left against the wall</p> <p>Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), <b>Surface-mounted models can be fitted in corners on the left against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at <a href="http://pro.villeroy-boch.com/squaroinfinity">pro.villeroy-boch.com/squaroinfinity</a> or QR code on this page.</b></p> <p>Outlet cover in matching matt colour with chrome-plated strip., <b>The extra charge for cutting already in the total price!</b></p> <p>Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.</p> <p>With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.</p> <p>Diameter: 90 mm</p>
Material	Quaryl®

## Specification texts

Squaro Infinity; Shower tray; Size: 1500 x 700 x 40 mm; Quarryl®; corner installation, left against the wall; Outlet cover in matching matt colour with chrome-plated strip., **The extra charge for cutting already in the total price!**; Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Surface-mounted models can be fitted in corners on the left against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at [pro.villeroy-boch.com/squaroinfinity](http://pro.villeroy-boch.com/squaroinfinity) or QR code on this page.**

## COLOURS

Brown	UDQ1570SQI2LV-4S	4051202460068
Stone White	UDQ1570SQI2LV-RW	4051202851965
Anthracite	UDQ1570SQI2LV-1S	4051202456436
Crème	UDQ1570SQI2LV-2S	4051202457648
Grey	UDQ1570SQI2LV-3S	4051202458850

**UDQ1570SQI2LV**  
**SQUARO INFINITY**  
**UDQ1570SQI2L**

Villeroy & Boch  
 This drawing is for information only.  
 Dimensions on the actual product can  
 differ from the drawing.  
 Changes in design and specifications on  
 product or drawing will not be accepted.

