

SHOWER TRAY, SHOWER TRAYS (QUARYL), SHOWER TRAYS, RECTANGULAR SHOWER TRAYS, FLUSH-FITTING SHOWER TRAYS SQUARO INFINITY

PRODUCT INFORMATION

1 . POSITION



Model	UDQ1670SQI2BV
Width	700 mm
Height	40 mm
Depth	15 mm
Length	1600 mm
Weight	33 kg
Description	<p>long side cut against wall, for all installation types</p> <p>Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), Quaryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page., Surface-mounted models can be fitted centred, in corners on the left or right against the wall, in a niche or flush-fit with the floor.</p> <p>Outlet cover in matching matt colour with chrome-plated strip., The extra charge for cutting already in the total price!</p> <p>Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.</p> <p>Diameter: 90 mm</p>
Material	Quaryl®

Specification texts

Squaro Infinity; Shower tray; Size: 1600 x 700 x 40 mm; Quaryl®; long side cut against wall, for all installation types; Outlet cover in matching matt colour with chrome-plated strip., **The extra charge for cutting already in the total price!**; Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information:: Cut shower tray (side unprocessed)., Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Quaryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page.**, **Surface-mounted models can be fitted centred, in corners on the left or right against the wall, in a niche or flush-fit with the floor.**

COLOURS

Brown	UDQ1670SQI2BV-4S	4051202459789
Stone White	UDQ1670SQI2BV-RW	4051202852108
Anthracite	UDQ1670SQI2BV-1S	4051202456153
Crème	UDQ1670SQI2BV-2S	4051202457365
Grey	UDQ1670SQI2BV-3S	4051202458577

UDQ1670SQI2BV
SQUARO INFINITY
UDQ1670SQI2B

Villiers & Boch
 • This drawing is for information only.
 • Dimensions are approximate and may vary.
 • Claims about bearing dimensions on product or drawing will not be accepted.

