

SHOWER TRAY, SHOWER TRAYS (QUARYL), SHOWER TRAYS, CUSTOMISED
SHOWER TRAYS, FLUSH-FITTING SHOWER TRAYS, ACCESSIBLE SOLUTIONS,
ACCESSIBLE SHOWER TRAYS, RECTANGULAR SHOWER TRAYS SQUARO
INFINITY

PRODUCT INFORMATION



Model	UDQ1680SQI2MV
Width	800 mm
Height	40 mm
Depth	15 mm
Length	1600 mm
Weight	34,7 kg
Description	<p>Measuring for flush-fit installation Technical information:: Cut shower tray (side unprocessed)., The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), Drainage capacity: 48 l/ min, For cut models, please state the exact dimension in mm, see order form on page #Pages., The grey area in the technical drawing shows the area that can be cut., Quarryl shower trays are only cut to size in the factory. Outlet cover in matching matt colour with chrome-plated strip. Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure. Diameter: 90 mm</p>
Material	Quaryl®
Specification texts	<p>Squaro Infinity; Shower tray; Size: 1600 x 800 x 40 mm; Quaryl®; Measuring for flush-fit installation; Outlet cover in matching matt colour with chrome-plated strip.; Not included in scope of delivery:: All shower trays are supplied without support/base., With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information:: Cut shower tray (side unprocessed)., The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274., All shower trays are classified as anti-slip class C (in accordance with DIN51097), Drainage capacity: 48 l/ min, For cut models, please state the exact dimension in mm, see order form on page #Pages., The grey area in the technical drawing shows the area that can be cut., Quarryl shower trays are only cut to size in the factory.</p>

COLOURS

Anthracite	UDQ1680SQI2MV-1S	4051202456856
Crème	UDQ1680SQI2MV-2S	4051202458065
Brown	UDQ1680SQI2MV-4S	4051202460488
Stone White	UDQ1680SQI2MV-RW	4051202852122
Grey	UDQ1680SQI2MV-3S	4051202459277