

SHOWER TRAY, SHOWER TRAYS (QUARYL), SHOWER TRAYS, RECTANGULAR
SHOWER TRAYS, FLUSH-FITTING SHOWER TRAYS, ACCESSIBLE SOLUTIONS,
ACCESSIBLE SHOWER TRAYS SQUARO INFINITY

PRODUCT INFORMATION



Model	UDQ1780SQI2LV
Width	800 mm
Height	40 mm
Depth	15 mm
Length	1700 mm
Weight	36,3 kg
Description	<p>corner installation, left against the wall</p> <p>Technical information: Cut shower tray (side unprocessed), Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274, All shower trays are classified as anti-slip class C (in accordance with DIN51097), Surface-mounted models can be fitted in corners on the left against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page.</p> <p>These shower trays are cut along the short side.</p> <p>Outlet cover in matching matt colour with chrome-plated strip, The extra charge for cutting already in the total price!</p> <p>Not included in scope of delivery: All shower trays are supplied without support/base, With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.</p> <p>With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.</p> <p>Diameter: 90 mm</p>
Material	Quaryl®

Specification texts

Squaro Infinity; Shower tray; Size: 1700 x 800 x 40 mm; Quarryl®; corner installation, left against the wall; Outlet cover in matching matt colour with chrome-plated strip, **The extra charge for cutting already in the total price!**; Not included in scope of delivery: All shower trays are supplied without support/base, With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Technical information: Cut shower tray (side unprocessed), Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274, All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Surface-mounted models can be fitted in corners on the left against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at pro.villeroy-boch.com/squaroinfinity or QR code on this page.**; These shower trays are cut along the short side.

COLOURS

Crème	UDQ1780SQI2LV-2S	4051202457723
Grey	UDQ1780SQI2LV-3S	4051202458935
Brown	UDQ1780SQI2LV-4S	4051202460143
Stone White	UDQ1780SQI2LV-RW	4051202852306
Anthracite	UDQ1780SQI2LV-1S	4051202456511

UDQ1780SQI2LV
SQUARO INFINITY
UDQ1780SQI2L

Villeroy & Boch
 • This drawing is for information only.
 • Dimensions on the actual product can vary slightly from those shown on this drawing.
 • Changes without notice are reserved on product or drawing will not be accepted.

